




15" Two-Way Bass Reflex Self Powered System


- JBL P T
- 1000 C -D
- M SPL O : 127 B
- S T : S 15, - , -
- F R (-10 B): 39H - 20 H
- F R (-3 B): 50H - 20 H
- C P : 90 50
- B C
- 3 P EQ + H & L S
- G D
- S R
- JBL E A P
- M
- M
- S
- S
- 3 M10 S P
- S 35
- L ,

S :									
S T : S 15, - , -									
M SPL O : 127 B									
F R (-10 B): 39H 20 H									
F R (-3 B): 50H 20 H									
A :									
S P R : 1000 P (700 LF + 300HF); 500 C (350 LF + 150 HF)									
I I : 20 ()									
L I G : I 26.8 B									
M I G : I 29 B									
M I L :									
L : +14 B									
M : -4 B									
C : 2 B LR-1/4 ; 1 LR									
LED I : F P LED (D ,) R P LED (B), B (B),EQ+ (G) P (G) S (G)									

► EON 615 15" Two-Way Bass Reflex Self-Powered System



BLOCK DIAGRAM
EON600



► EON 615 15" Two-Way Bass Reflex Self-Powered System



JBL P
8500 B B , P.O. B 2200
N , C 91329 U.S.A.
C 2015 JBL P