

SHURE®

LEGENDARY
PERFORMANCE™

Wired Microphones
BETA 98AMP



©2010 Shure Incorporated
27A14268 (Rev. 1)
Printed in U.S.A.



Shure Beta 98AMP

Beta 98AMP

XLR
A75M

•
•
• 3:1
•
•
•
•
•

• Beta 98AMP

A75M

• A75M

Beta 98AMP


• Shure



Shure A75M

Beta 98AMP


A75M

•
• SPL
•
•






--- 250 Hz
 500 Hz
 ——— 1000 Hz



———— 2500 Hz
 6300 Hz
 - - - - 10000 Hz



Notes

SHURE®

**United States, Canada, Latin
America, Caribbean:**

Shure Incorporated
5800 West Touhy Avenue
Niles, IL 60714-4608 USA

Phone: 847-600-2000
Fax: 847-600-1212 (USA)
Fax: 847-600-6446
Email: info@shure.com

www.shure.com

©2010 Shure Incorporated

Europe, Middle East, Africa:

Shure Europe GmbH
Wannenäckestr. 28,
74078 Heilbronn, Germany

Phone: 49-7131-72140
Fax: 49-7131-721414
Email: info@shure.de

Asia, Pacific:

Shure Asia Limited
22/F, 625 King's Road
North Point, Island East
Hong Kong

Phone: 852-2893-4290
Fax: 852-2893-4055
Email: info@shure.com.hk